


FIG 3

	Marker Name	Marker Code	DESCRIPTION
SOI	Start of Image	Н'8ОЗЗ	START OF COMPRESSED DATA
APP1 Ap	Application Segment 1	FFE1.H	ADDITIONAL INFORMATION OF EXIF
APP2 Ap	Application Segment 2	FFE2.H	EXTENDED DATA OF EXIF
DQT De	Define Quantization Table	FFDB. Н	QUANTIZATION TABLE
DHT De	Define Huffman Table	FFC4.H	HUFFMAN TABLE
DRI	Define Restart Interval	FFDD.H	RESTART INTERVAL
SOF	Start of Frame	FFC0.H	FRAME PARAMETERS
SOS St	Start of Scan	FFDA.H	COMPONENT PARAMETERS
EOI En	End of Image	FFD9.H	END OF COMPRESSED DATA

FIG. 4






FIG. 6

```
<?xml version="1.0" encoding="Shift_JIS"?>
<MakerNote>
     <CANON Version="0.00.00">
           <UserSetting>
                  <Macro>On</Macro>
                  <SelfTimer>On</SelfTimer>
                  <CompQuality>Fine</CompQuality>
                  <EF>Auto</EF>
                  <ReleaseMethod>Single</ReleaseMethod>
                  <ShootingNumber>0</ShootingNumber>
                  <ReleaseTiming>FocusPriority</ReleaseTiming>
                  <ImageSize>Large</ImageSize>
                  <ImageMode>Auto
                  <Contrast>default</Contrast>
                  <ColorGain>default</ColorGain>
                  <Sharpness>default</Sharpness>
                  <Sensitivity>default</Sensitivity>
                  <MLWeiMode>Center</MLWeiMode>
           </UserSetting>
           <OpticsInfo>
                  <LensType>Zoom
                  <FocalLength>204/32</FocaalLength>
                  <XSizeCCD>252/1024</XSizeCCD>
                  <YSizeCCD>189/1024</YSizeCCD>
           </OpticsInfo>
           <FlashInfo>
                  <DayLightValue>94</DayLightValue>
                  <FlashLightValue>71</FlashLightValue>
                  <FlashKind>380EX</FlashKind>
                  <FlashTime>1000</FlashTime>
           </FlashInfo>
           <OwnerName>
                  <![CDATA[NULL]]>
           </OwnerName>
      </CANON>
</MakerNote>
```

